#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization International Bureau





(43) International Publication Date 29 July 2004 (29.07,2004)

**PCT** 

# (10) International Publication Number WO 2004/062793 A1

(51) International Patent Classification<sup>7</sup>: B01J 19/12, C10L 5/00, F23G 5/00, H05B 6/80, H05H 1/46

(21) International Application Number:

PCT/NZ2003/000276

(22) International Filing Date:

16 December 2003 (16.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 523665

15 January 2003 (15.01.2003) NZ

(71) Applicant and

(72) Inventor: GUPTA, Rajeev, Prasad [IN/NZ]; 11 / 16A, Colson Street, Avalon, Lower Hutt, 6009 Wellington (NZ).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR,

CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Declarations under Rule 4.17:

- as to the identity of the inventor (Rule 4.17(i)) for all designations
- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations

[Continued on next page]

(54) Title: METHOD AND APPARATUS USING MICROWAVE ENERGY



(57) Abstract: The process generates energy from organic material utilizing microwaves. The waste from food item is dried and further heated under temperature control to convert it into a renewable source of energy. Enclosed in a glass chamber (2) it is then exposed to microwave energy. Apparatus comprises a microwave oven (1), a heat exchanger (3) and energy extraction systems (5) and (6). The microwave absorption creates an ionized hot air atmosphere of high-energy Plasma. This new process for hot plasma generates heat, pressure and electromotive energy, which can be converted by a heat exchanger; a microwave ignited internal-combustion engine or a Magneto-Hydrodynamic (MHD) system, to the useful form of mechanical or electrical energy. The process incorporates a method for plasma confinement to harness its energy. Suitable feedback-control (7) makes the process self-sustaining with net gain in the output energy. Energy efficiency of the process measures the nutritional value of food item used.

 as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

— of inventorship (Rule 4.17(iv)) for US only

#### Published:

- with international search report
- with amended claims and statement

Date of publication of the amended claims and statement: 2 September 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

#### AMENDED CLAIMS

[received by the International Bureau on 1st June 2004 (01.06.04)]

- A method for converting, organic material (as hereinbefore defined) into a usable form of energy by means of microwaves, the method comprising the following steps:

   (a) drying organic material by hot-air from conventional-oven or from an exhaust waste heat sources. It removes at least 80% of the moisture content whereby the dried organic material is converted into an energy storage form,
  - (b) Submitting the energy storage form to sufficient heat from conventional oven or from sources of waste heat to further alter its chemical composition into a fuel, and
- (c) exposing the fuel to microwaves to convert the energy contained within the fuel into a usable form of energy selected from thermal, electrical, high pressure, a plasma, ionised air or gas and a fusion energy,
  - (d) whereby energy released is more than the input microwave energy and it is extracted by suitable means for further conversion.
- 2. The method according to Claim 1, wherein the energy storage form is carbonized,
  which can be stored for many days without any fermentation or natural deterioration.
  - 3. The method according to Claim 1 or Claim 2, wherein the microwave operates at a frequency of 500MHz to 5000MHz and at a power of between 100W to 100 kW.
  - 4. The method according to any one of the preceding claims, wherein the organic material is organic waste or fresh organic matter.
- 20 5. The method according to Claim 4, wherein the organic waste is selected from waste vegetables, fruits, skins of fruits, manure, compost and meat scraps.
  - 6. The method according to Claim 1, wherein the fuel prepared at step (b) is exposed to microwaves at step (c) in the following manner:
    - (i) the prepared fuel is transferred to a glass chamber or a heat exchanger,
- 25 (ii) the glass chamber or heat exchanger is either transferred to, or preferably housed within a microwave cavity or microwave oven,

- (iii) the microwave cavity or microwave oven is actuated whereby the prepared fuel is transformed into a flame or plasma of a temperature above 100°C.
- 7. The method Claim 6, wherein the prepared fuel is transformed into a blue flame or a plasma of a temperature above 400°C.
- 8. A method according to Claim 6, wherein the plasma is generated in the presence or 5 absence of the plasma initiator, which comprises of a metal or non-metal or a compound of metal or non-metal.
  - The method of Claim 1, wherein the energy generated at step (c) is adapted for use in an internal combustion engine equipped with microwave igniters.
- 10. The method of claim 1, wherein the energy generated at step (c) is adapted to be used 10 in a heating system or a cooling system.

- 11. The method of Claim 1, wherein a fraction of the output energy generated at step (c) is adapted to be fed-back for generating microwave, the continuous supply of fuel makes the process self-sustaining and/or continuous, whereby organic material in the form of fuel converts into energy.
- 12. The method of claim 1, wherein the energy generated at step (c) is adapted to be used to produce plasma or an ionised gas or air atmosphere, the plasma or ionised gas or air atmosphere being available for use in a Magneto Hydro-Dynamic (MHD) process.
- 13. The method of claim 6, wherein the glass chamber or heat exchanger is optionally fed by a gas or air stream. 20
  - 14. The method of any one of Claims 6-13, wherein the fuel is exposed to microwaves under a switching or valve control such that the temperature and pressure generated is maintained within desired parameters.
- 15. The method of any one of Claims 6-14, wherein the steps are monitored to ensure that the conversion of energy from the organic material is maintained at a temperature and 25 pressure in a sustainable and/or continuous manner.

- 16. The method of Claim 12, wherein the MHD process is adapted to generate electric power from plasma or the resultant ionised gas or air atmosphere either by using a permanent magnet or electromagnet or by inducing an electric current within a conductive coil such as copper.
- 17. A method according to any one of Claims 1-16, for use in a method of determining the energy value of an organic material, wherein the organic material has been prepared via steps (a) and (b) and exposed to microwaves at step (c), and wherein said material is transformed into a plasma, the properties of plasma generated and amount of energy released being a measure of the calorific value of the organic material.
- 18. A method according to Claim 17, wherein the plasma properties used for determining the energy value of the organic material are selected from (i) the colour of the plasma generated, (ii) the volume of the plasma generated, (iii) the air pressure generated, (iv) the temperature of the plasma generated and (v) the efficiency of the plasma generation.
- 19. A method according to Claim 6, wherein plasma generated at step (iii) is confined within the glass chamber or heat exchanger used at step (ii) and is available to be harnessed or extracted for further use.
  - 20. A method according to Claim 19, wherein the further use is for an internal combustion engine, to drive a heating or cooling system, or to be further converted into thermal, electrical or high-pressure energy.
  - 21. An apparatus useful in a method according to any one of the preceding claims comprising:
    - (a) a microwave cavity or microwave oven,
  - (b) housed within the microwave cavity or microwave oven is a glass chamber, or a heat exchanger,
    - (c) optionally an inlet for providing a gas or air stream, preferably heated, to the glass chamber or heat exchanger,

10.

- (d) a means for harnessing or extracting the thermal, electrical, high pressure, plasma, ionised gas or air, or fusion energy generated within the cavity,
- (e) a means to feed-back a fraction of the output-energy to generate microwave, which makes the process self-sustaining on continuous basis and
- 5 (f) an outlet for exhaust gases.
  - 22. An apparatus according to claim 21, wherein the means for harnessing the plasma or ionised gas or air, generated at step (c) of the method of Claim 1, comprises a coil of a conductive material such that when in contact with the plasma, the plasma is energised and rotates or vibrates thereby inducing an electric current inside the environment of the coil and wherein the current induction in the coil applies a reactive force thus confining the plasma and enabling the plasma to be harnessed.
  - 23. An apparatus according to Claim 21 or 22 adapted for the confinement of plasma generated by a method according to any one of the preceding claims.
- 24. An apparatus according to Claim 21, wherein the gas stream is air or oxygen, or a combustible oxygen mix.
  - 25. An apparatus according to Claim 21, adapted for fitment and use in an internal combustion engine, heating system and/or electrical generation system.
  - 26. A method for converting organic material into a usable form of energy by means of microwaves according to Claim 1, substantially as hereinbefore described and exemplified with or without reference to the accompanying representations.
  - 27. An apparatus for performing the method according to Claim 21, substantially as hereinbefore described and exemplified with or without reference to the accompanying representations.

WO 2004/062793 PCT/NZ2003/000276

#### 24

## **Statement under Article 19(1)**

The claims originally made with the description of the invention are amended to emphasize the novelty and the inventive step. The process specifically converts organic materials into a useful form of energy. Prior art does not exist to convert organic material into a useable form of energy using microwaves. The claim 1 now clearly states that drying and pre-processing of organic item is carried out by conventional heaters or from sources of waste heat. This improves energy efficiency and offers simple temperature control system.

5

10

15

25

Claim 1 (c) clearly states that microwave is used in the final stage of the process to obtain gain in the output energy, wherein the processed organic material is used as a fuel, which provides a source of renewable energy. Object of this invention is not just the disposal of garbage.

Prior-art apparatus incinerate waste material or garbage by microwaves for its disposal. These methods basically reduce garbage volume, consume large amount of electricity and do not generate net energy output. Garbage/ refuse include items which do not directly absorb microwaves, such items reduce the effective temperature and the process efficiency.

As per claim 17, intensity of the generated plasma is a measure of calorific value of the organic material used. Selection of correct organic material is important to achieve better energy efficiency. Thus, the process also provides a method to determine the energy value of a given food or organic item.

Different items like skins of banana, apple, potato etc. were used for experiments. After undergoing through the invented process, some items generate greater plasma energy and heat than others. Process time in the microwave can be as low as 2 to 10 seconds. Less processing time makes the energy conversion process very efficient.

Claim 21 amended to emphasize, that the invention is the design of apparatus for energy generation / extraction and to achieve a self-sustaining process.

Garbage incinerators do not have any system for energy extraction. Even if an energy extraction is included, there is no gain in the net energy output. Incinerator is designed to

WO 2004/062793 PCT/NZ2003/000276

25

reduce the volume of waste for easier disposal. Microwave absorbing shrouds and elements within an incinerator prevent plasma generation.

As per the claims of the applicant's invention, the method provides an apparatus to convert food and organic materials into a useful form of energy. Heat from waste exhaust sources is used for drying process and microwave generates hot plasma energy from the processed organic material, which becomes a renewable fuel. Energy output is more than the microwave energy input. Different methods of energy extraction converts plasma into a useful form of energy.

5

Unique method as per claim 16 and 22 controls and confines the plasma for optimum energy extraction. A feedback system as per claim 11 makes the process self-sustaining and continuous with the continuous supply of processed organic material.

The amendment of claims does not have any impact on the drawings and the description.

*₹*7•

### INTERNATIONAL SEARCH REPORT

International application No. PCT/NZ2003/000276

			• • • • • • • • • • • • • • • • • • • •							
	CLASSIFICATION OF SUBJECT MATTER									
	B01J 19/12, C10L 5/00, F23G 5/00, H05B 6/80, H05H 1/46									
According to I	nternational Patent Classification (IPC) or to	both nat	ional classification and IPC							
	FIELDS SEARCHED									
IPC REFER I	nentation searched (classification system followed ELECTRONIC DATA BASE CONSULT	<b>TED</b>								
Documentation :	searched other than minimum documentation to the	e extent	that such documents are included in the fields search	ed						
Electronic data to DWPI IPC Be compost, was		me of data 3 6/80,	a base and, where practicable, search terms used) H05H 1/46 & Key words (microwave, food	l, organic,						
<b>C</b> . 1	DOCUMENTS CONSIDERED TO BE RELEV	ANT								
Category*	Citation of document, with indication, when	Relevant to claim No.								
X	US 4937411 A (Suzuki et al) 26 June 1		1-27							
	whole document		İ	•						
x	US 5886326 A (Tang) 23 March 1999 whole document	1-27								
<b>A</b>	WO 1994/18286 A (Holland) 18 August 1994									
Further documents are listed in the continuation of Box C X See patent family annex										
* Special "A" docume which is relevant "E" earlier a after the	r document published after the international filing da not in conflict with the application but cited to under heory underlying the invention ument of particular relevance; the claimed invention sidered novel or cannot be considered to involve an	understand the principle ntion cannot be								
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than the priority date claimed  when the document is taken alone										
	nal completion of the international search	Date of mailing of the international search report	-8 APR 2004							
31 March 20		And admid officer	2007							
Name and mailing address of the ISA/AU  AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustralia.gov.au Facsimile No. (02) 6285 3929			Authorized officer  ASOKA DIAS-ABEYGUNAWARDENA  Telephone No: (02) 6283-2141							

# INTERNATIONAL SEARCH REPORT

International application No. PCT/NZ2003/000276

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Member							
US	4937411	EP	0318598	Ъ	1058919	л	1163514		
		JР	63318410	wo	8810399				
US	5886326	-							
wo	9418286	AU	59754/94	BR	9406342	CA	2153808		
		EP	0682685	ΡÌ	953674	GB	2289476		
		MX	9400937	NO	952652	PL	309696		
		SG	48721	·					
	•						•		
			•				END OF ANNEX		